

# Certificate of Compliance

**Certificate Number:**  
E547877

**Report Reference:**  
E547877-20250523

**Issue Date:**  
2025-MAY-23

Issued to:

**HEFEI ELECMAN ELECTRICAL LTD  
No.2310, Tower D, Weilan Business Port  
Government District Hefei, Anhui 230000  
China**

This certificate confirms that representative samples of:  
**GROUNDING AND BONDING EQUIPMENT**

**See Addendum Page for Product Designation(s).**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 467, CAN/CSA C22.2 No. 41-13 & CSA C22.2 No. 41:22 - Grounding and Bonding Equipment**

Additional Information:

See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch  
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number(s)** E547877  
**Report reference** E547877-20250522  
**Date** 2025-MAY-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products Covered	Product Designation	Nomenclature
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF038	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF038I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF050	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF050I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF075	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF075I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF100	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF100I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF125	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF125I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF150	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF150I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF200	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF200I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF250	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF250I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF300	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF300I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF350	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF350I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTF400	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - 45 degree	ALTF400I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN038	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN038I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN050	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN050I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN075	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN075I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN100	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN100I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN125	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN125I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN150	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN150I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN200	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN200I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN250	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN250I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN300	



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

# CERTIFICATE OF COMPLIANCE

**Certificate number(s)** E547877  
**Report reference** E547877-20250522  
**Date** 2025-05-23

Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree (USL only)	ALTN300I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN350	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN350I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTN400	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree	ALTN400I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS038	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS038I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS050	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS050I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS075	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS075I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS100	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS100I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS125	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS125I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS150	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS150I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS200	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS200I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS250	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS250I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS300	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS300I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS350	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS350I	
Grounding Liquid-tight Flexible Metal Conduit Connectors	ALTS400	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat - Straight	ALTS400I	
Insulated Grounding Bushings	HGB050	
Insulated Grounding Bushings	HGB075	
Insulated Grounding Bushings	HGB100	
Insulated Grounding Bushings	HGB125	
Insulated Grounding Bushings	HGB150	
Insulated Grounding Bushings	HGB200	
Insulated Grounding Bushings	HGB250	
Insulated Grounding Bushings	HGB300	
Insulated Grounding Bushings	HGB350	
Insulated Grounding Bushings	HGB400	
Insulated Grounding Bushings	HGB500	
Insulated Grounding Bushings	HGB600	
Lay-in Lugs	AL1/0-14	
Lay-in Lugs	AL14-4	
Grounding Liquid-tight Flexible Metal Conduit Connectors with Insulated Throat- 90 degree (CNL only)	ALTN300I	



David Piecuch  
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

